

## The Essex List as of January 2009

SPECIES	DATA REQUIRED	STATUS
Mute Swan	All breeding records. Counts of 50+.	
Bewick's Swan	All records.	
Whooper Swan	All records.	
Bean Goose	Notes of both races: Tundra and Taiga.	EBSIP
Pink-Footed Goose	Notes.	
White-Fronted Goose	All records.	
Greenland White-Fronted Goose	Description.	EBSIP (4, 0, 4)
Lesser White-Fronted Goose	Description.	BBRC (0, 1, 1)
Greylag Goose	Breeding survey data and trends and unusual breeding records. Counts of 50+.	
[Ross's Goose]	Description	BBRC
Canada Goose	Breeding survey data and trends and unusual breeding records. Counts of 50+.	
Barnacle Goose	All records.	
Brent Goose		
Dark-Bellied Brent	Counts of 250+. Assessment of numbers of juveniles as a percentage of flocks. Early and late dates. Comments on large numbers arriving early/departing late. All inland and Inner Thames records.	
Pale-Bellied Brent	Notes.	EBSIP
Black Brant	Description.	EBSIP
Red-Breasted Goose	Description.	BBRC (3, 11, 14)
Egyptian Goose	All records.	
[Ruddy Shelduck]	Description.	EBSIP
Shelduck	All breeding records. All inland records. Coastal counts of 100+.	
Mandarin	All records. Sex.	
Wigeon	All breeding records. Counts of 50+.	
American Wigeon	Description.	EBSIP (1, 1, 2)
Gadwall	All breeding records. Counts of 20+.	
[Baikal Teal]	Description	BBRC
Teal	All breeding records. Counts of 100+.	
Green-Winged Teal	Description.	EBSIP (1, 24, 25)
Mallard	Breeding survey data and trends and unusual breeding records. Counts of 50+.	
Pintail	All breeding records. Counts of 20+ and all Inner Thames records.	
Garganey	All records. Age/sex.	
Blue-Winged Teal	Description.	BBRC (0, 7, 7)
Shoveler	All breeding records. Counts of 20+.	
[Marbled Duck]	Description	BBRC
Red-Crested Pochard	All records. Sex.	
Pochard	All breeding records. Counts of 20+.	
Canvasback	Description.	BBRC (0, 1, 1)
Ring-Necked Duck	Description.	EBSIP (2, 5, 7)
Ferruginous Duck	Description.	EBSIP (14, 29, 43)
Tufted Duck	All breeding records. Counts of 50+.	
Scaup	All records. Age/sex.	
Lesser Scaup	Description.	BBRC (0, 2, 2)
Eider	All records. Age/sex.	
King Eider	Description.	BBRC (1, 0, 1)

<b>Long-Tailed Duck</b>	All records. Age/sex.	
<b>Common Scoter</b>	All records. Age/sex. ( <i>RED LIST SPECIES</i> )	
<b>Surf Scoter</b>	Description.	EBSIP (0, 1, 1)
<b>Velvet Scoter</b>	Notes.	EBSIP
<b>Goldeneye</b>	All records. Age/sex.	
<b>Smew</b>	All records. Age/sex.	
<b>Red-Breasted Merganser</b>	All records. Age/sex. Inland – Notes.	
<b>Goosander</b>	All records. Age/sex.	
<b>Ruddy Duck</b>	All records.	
<b>[White-Headed Duck]</b>	Description	BBRC
<b>Red-Legged Partridge</b>	Breeding survey data and trends and unusual breeding records. Counts of 10+.	
<b>Grey Partridge</b>	All records. ( <i>RED LIST SPECIES</i> )	
<b>Quail</b>	All records. ( <i>RED LIST SPECIES</i> )	
<b>Pheasant</b>	Breeding survey data and trends and unusual breeding records. Counts of 30+.	
<b>Red-Throated Diver</b>	All records. Plumage <i>e.g.</i> summer / winter.	
<b>Black-Throated Diver</b>	All records. Plumage <i>e.g.</i> summer / winter.	
<b>Great Northern Diver</b>	All records. Plumage <i>e.g.</i> summer / winter.	
<b>Little Grebe</b>	All breeding records. Counts of 10+.	
<b>Great Crested Grebe</b>	All breeding records. Counts of 10+.	
<b>Red-Necked Grebe</b>	All records. Plumage <i>e.g.</i> summer / winter.	
<b>Slavonian Grebe</b>	All records. Plumage <i>e.g.</i> summer / winter.	
<b>Black-Necked Grebe</b>	All records. Plumage <i>e.g.</i> summer / winter.	
<b>Fulmar</b>	All records.	
<b>Cory's Shearwater</b>	Description.	EBSIP (1, 3, 4)
<b>Great Shearwater</b>	Description.	EBSIP (0, 2, 2)
<b>Sooty Shearwater</b>	Description.	EBSIP (16, 203, 219)
<b>Manx Shearwater</b>	All records.	
<b>Balearic Shearwater</b>	Description.	EBSIP (3, 6, 9)
<b>Storm Petrel</b>	Description.	EBSIP
<b>Leach's Petrel</b>	Description.	EBSIP
<b>Gannet</b>	All records. Age.	
<b>Cormorant</b>	All breeding records. Counts of 20+.	
<b>Shag</b>	All records. Age.	
<b>Bittern</b>	Description. ( <i>RED LIST SPECIES</i> )	EBSIP
<b>American Bittern</b>	Description.	BBRC (1, 0, 1)
<b>Little Bittern</b>	Description.	BBRC (11, 0, 11)
<b>Night Heron</b>	Description.	BBRC (11, 4, 15)
<b>Squacco Heron</b>	Description.	BBRC (0, 1, 1)
<b>Cattle Egret</b>	Description.	BBRC (0, 7, 7)
<b>Little Egret</b>	Breeding records. Counts of 10+.	
<b>Great White Egret</b>	Description.	EBSIP (0, 15, 15)
<b>Grey Heron</b>	All breeding records. Counts of 10+.	
<b>Purple Heron</b>	Description.	EBSIP (18, 7, 25)
<b>Black Stork</b>	Description.	BBRC (1, 7, 8)
<b>White Stork</b>	Description.	EBSIP (11, 23, 34)
<b>Glossy Ibis</b>	Description.	BBRC (6, 2, 8)
<b>Spoonbill</b>	Notes.	EBSIP
<b>Honey Buzzard</b>	Description.	EBSIP (12, 286, 298)
<b>Black Kite</b>	Description.	EBSIP (4, 16, 20)
<b>Red Kite</b>	All records. ( <i>RED LIST SPECIES</i> )	
<b>White-Tailed Eagle</b>	Description.	BBRC (11, 0, 11)

<b>Egyptian Vulture</b>	Description.	BBRC (1, 0, 1)
<b>Marsh Harrier</b>	All records. Age/sex. ( <i>AMBER LIST SPECIES</i> )	
<b>Hen Harrier</b>	All records. Age/sex. ( <i>RED LIST SPECIES</i> )	
<b>Pallid Harrier</b>	Description.	BBRC (0, 1, 1)
<b>Montagu's Harrier</b>	Description.	EBSIP
<b>Goshawk</b>	Description.	EBSIP
<b>Sparrowhawk</b>	All records. Age/sex.	
<b>Common Buzzard</b>	All records. Age.	
<b>Rough-Legged Buzzard</b>	Description.	EBSIP
<b>Spotted Eagle</b>	Description.	BBRC (3, 0, 3)
<b>Osprey</b>	Notes.	EBSIP
<b>Lesser Kestrel</b>	Description.	BBRC (1, 0, 1)
<b>Kestrel</b>	All breeding records. Counts of 10+.	
<b>Red-Footed Falcon</b>	Description.	EBSIP (7, 25, 32)
<b>Merlin</b>	All records. Age/sex. ( <i>RED LIST SPECIES</i> )	
<b>Hobby</b>	All records. Age.	
<b>Peregrine</b>	All records. Age/sex.	
<b>Water Rail</b>	All records.	
<b>Spotted Crake</b>	Description.	EBSIP
<b>Little Crake</b>	Description.	BBRC (3, 0, 3)
<b>Baillon's Crake</b>	Description.	BBRC (1, 0, 1)
<b>Corncrake</b>	Description. ( <i>RED LIST SPECIES</i> )	EBSIP
<b>Moorhen</b>	All breeding records. Counts of 10+.	
<b>Coot</b>	All breeding records. Counts of 50+.	
<b>Little Bustard</b>	Description.	BBRC (10, 0, 10)
<b>Great Bustard</b>	Description.	BBRC (3, 0, 3)
<b>Crane</b>	Description.	EBSIP
<b>Oystercatcher</b>	All breeding records. All inland and Inner Thames records. Counts of 50+ elsewhere.	
<b>Black-Winged Stilt</b>	Description.	BBRC (10, 7, 17)
<b>Avocet</b>	All records.	
<b>Stone Curlew</b>	Description. ( <i>RED LIST SPECIES</i> )	EBSIP
<b>Cream-Coloured Courser</b>	Description.	BBRC (1, 1, 2)
<b>Collared Pratincole</b>	Description.	BBRC (2, 1, 3)
<b>Oriental Pratincole</b>	Description.	BBRC (1, 0, 1)
<b>Black-Winged Pratincole</b>	Description.	BBRC (1, 0, 1)
<b>Little Ringed Plover</b>	All records.	
<b>Ringed Plover</b>	All breeding records. All inland records. Counts of 50+ elsewhere.	
<b>Kentish Plover</b>	Description.	EBSIP (33, 14, 47)
<b>Greater Sand Plover</b>	Description.	BBRC (0, 1, 1)
<b>Dotterel</b>	Description.	EBSIP
<b>American Golden Plover</b>	Description.	EBSIP (0, 1, 1)
<b>Pacific Golden Plover</b>	Description.	EBSIP (1, 1, 2)
<b>Golden Plover</b>	All records May to July. Counts of 50+ rest of year.	
<b>Grey Plover</b>	All records May to July. Counts of 100+ rest of year. All inland and Inner Thames records.	
<b>Sociable Plover</b>	Description.	BBRC (2, 2, 4)
<b>Lapwing</b>	All breeding records. All other records May to July. Counts of 100+ rest of year.	
<b>Knot</b>	All records May to July. Counts of 100+ rest of year. All inland and Inner Thames records.	
<b>Sanderling</b>	All records May to July. Counts of 20+ rest of year. All inland and Inner Thames records.	
<b>Western Sandpiper</b>	Description.	BBRC (1, 0, 1)

<b>Little Stint</b>	All records.	
<b>Temminck's Stint</b>	Description.	EBSIP
<b>White-Rumped Sandpiper</b>	Description.	EBSIP (4, 5, 9)
<b>Baird's Sandpiper</b>	Description.	BBRC (2, 0, 2)
<b>Pectoral Sandpiper</b>	Description.	EBSIP
<b>Curlew Sandpiper</b>	All records.	
<b>Stilt Sandpiper</b>	Description.	BBRC (1, 0, 1)
<b>Purple Sandpiper</b>	All records.	
<b>Dunlin</b>	All records May to July. Counts of 300+ rest of year. All inland records.	
<b>Broad-Billed Sandpiper</b>	Description.	BBRC (0, 4, 4)
<b>Buff-Breasted Sandpiper</b>	Description	EBSIP (4, 12, 16)
<b>Ruff</b>	All records.	
<b>Jack Snipe</b>	All records.	
<b>Snipe</b>	All breeding records. Counts of 10+.	
<b>Great Snipe</b>	Description.	BBRC (19, 1, 20)
<b>Long-Billed Dowitcher</b>	Description.	BBRC (2, 8, 10)
<b>Woodcock</b>	All records.	
<b>Black-Tailed Godwit</b>	All possible breeding records. All records June and July. Counts of 30+ rest of year. Race of spring-plumaged birds. All inland and Inner Thames records. <i>(RED LIST SPECIES)</i>	
<b>Bar-Tailed Godwit</b>	All records from May to July. Counts of 50+ rest of year. All inland and Inner Thames records.	
<b>Whimbrel</b>	All records.	
<b>Curlew</b>	All inland and Inner Thames records. Counts of 50+ elsewhere.	
<b>Spotted Redshank</b>	All records.	
<b>Redshank</b>	All breeding records. All inland records. Counts of 50+ elsewhere.	
<b>Marsh Sandpiper</b>	Description.	BBRC (3, 7, 10)
<b>Greenshank</b>	All records.	
<b>Greater Yellowlegs</b>	Description.	BBRC (1, 1, 2)
<b>Lesser Yellowlegs</b>	Description.	BBRC (3, 8, 11)
<b>Solitary Sandpiper</b>	Description.	BBRC (2, 0, 2)
<b>Green Sandpiper</b>	All records.	
<b>Wood Sandpiper</b>	All records.	
<b>Terek Sandpiper</b>	Description.	BBRC (1, 2, 3)
<b>Common Sandpiper</b>	All records.	
<b>Spotted Sandpiper</b>	Description.	BBRC (1, 3, 4)
<b>Turnstone</b>	All records May to July. Counts of 30+ rest of year. All inland and Inner Thames records.	
<b>Wilson's Phalarope</b>	Description.	BBRC (2, 3, 5)
<b>Red-Necked Phalarope</b>	Description. <i>(RED LIST SPECIES)</i>	EBSIP
<b>Grey Phalarope</b>	Description.	EBSIP
<b>Pomarine Skua</b>	Notes to include details of age, weather conditions, distance, optics, experience.	EBSIP
<b>Arctic Skua</b>	All records. Age.	
<b>Long-Tailed Skua</b>	Description to include details of age, weather conditions, distance, optics, experience.	EBSIP
<b>Great Skua</b>	All records. Age.	
<b>Sabine's Gull</b>	Description.	EBSIP
<b>Kittiwake</b>	All records. Age.	
<b>Bonaparte's Gull</b>	Description.	BBRC (0, 1, 1)
<b>Black-Headed Gull</b>	All breeding records. Counts of 500+.	

<b>Little Gull</b>	All records. Age.	
<b>Laughing Gull</b>	Description.	BBRC (1, 1, 2)
<b>Franklin's Gull</b>	Description.	BBRC (0, 2, 2)
<b>Mediterranean Gull</b>	All records. Age.	
<b>Common Gull</b>	All records May to August. Otherwise counts of 500+.	
<b>Ring-Billed Gull</b>	Description.	EBSIP
<b>Lesser Black-Backed Gull</b>	All breeding records. Counts 50+ May to August. Otherwise counts of 200+.	
<b>Herring Gull</b>	All breeding records. Counts 50+ May to August. Otherwise counts of 200+. Counts in roosts of <i>argenteus</i> and <i>argentatus</i> .	
<b>Yellow-Legged Gull</b>	All records, description away from Thames	EBSIP
<b>Caspian Gull</b>	Description.	EBSIP
<b>[American Herring Gull]</b>	Description.	BBRC
<b>Iceland Gull</b>	Description.	EBSIP
<b>Glaucous Gull</b>	Description.	EBSIP
<b>Great Black-Backed Gull</b>	All records May to August. Otherwise counts of 100+.	
<b>Gull-Billed Tern</b>	Description.	BBRC (4, 3, 7)
<b>Caspian Tern</b>	Description.	BBRC (6, 0, 6)
<b>Sandwich Tern</b>	All records. Age.	
<b>Roseate Tern</b>	Description. ( <i>RED LIST SPECIES</i> )	EBSIP (17, 15, 32)
<b>Common Tern</b>	All breeding records. All inland records. Early and late dates. Counts of 20+.	
<b>Arctic Tern</b>	Notes. All records. Age.	EBSIP
<b>Forster's Tern</b>	Description.	BBRC (0, 1, 1)
<b>Bridled Tern</b>	Description.	BBRC (0, 1, 1)
<b>Little Tern</b>	All records. Age.	
<b>Least Tern</b>	Description.	BBRC (0, 1, 1)
<b>Whiskered Tern</b>	Description.	BBRC (1, 3, 4)
<b>Black Tern</b>	All records. Age.	
<b>White-Winged Black Tern</b>	Description.	EBSIP (26, 28, 54)
<b>Guillemot</b>	All records.	
<b>Razorbill</b>	Description.	EBSIP
<b>Black Guillemot</b>	Description.	EBSIP (7, 2, 9)
<b>Little Auk</b>	All records.	
<b>Puffin</b>	Notes. All records.	EBSIP
<b>Pallas's Sandgrouse</b>	Description.	BBRC (116+, 0, 0)
<b>Rock Dove/Feral Pigeon</b>	Breeding survey data and trends and unusual breeding records. Counts of 50+.	
<b>Stock Dove</b>	All breeding records. Counts of 20+.	
<b>Woodpigeon</b>	Breeding survey data and trends and unusual breeding records. Counts of 250+.	
<b>Collared Dove</b>	Breeding survey data and trends and unusual breeding records. Counts of 50+.	
<b>Turtle Dove</b>	All records. ( <i>RED LIST SPECIES</i> )	
<b>Ring-Necked Parakeet</b>	All records. Sex.	
<b>Cuckoo</b>	All breeding records. Identity of parasitised species. Early and late dates. Records of hepatic phase.	
<b>Barn Owl</b>	All records.	
<b>Dark-Breasted Barn Owl</b>	Description	EBSIP (7, 1, 8)
<b>Scops Owl</b>	Description.	BBRC (2, 0, 2)
<b>Snowy Owl</b>	Description.	BBRC (1, 0, 1)

<b>Little Owl</b>	All records.	
<b>Tawny Owl</b>	All records.	
<b>Long-Eared Owl</b>	All records.	
<b>Short-Eared Owl</b>	All records.	
<b>Tengmalm's Owl</b>	Description.	BBRC (1, 0, 1)
<b>Nightjar</b>	Description. ( <i>RED LIST SPECIES</i> )	EBSIP
<b>White-Throated Needletail</b>	Description.	BBRC (1, 0, 1)
<b>Swift</b>	Breeding survey data, trends and unusual breeding records. Early and late dates. Counts of 100+.	
<b>Pallid Swift</b>	Description.	BBRC (0, 1, 1)
<b>Alpine Swift</b>	Description.	EBSIP (8, 9, 17)
<b>Kingfisher</b>	All records.	
<b>Bee-Eater</b>	Description.	EBSIP (4, 15, 19)
<b>Roller</b>	Description.	BBRC (4, 0, 4)
<b>Hoopoe</b>	Notes.	EBSIP
<b>Wryneck</b>	Notes. All records. ( <i>RED LIST SPECIES</i> ).	EBSIP
<b>Green Woodpecker</b>	All records. Age/sex.	
<b>Great Spotted Woodpecker</b>	All records. Age/sex.	
<b>Lesser Spotted Woodpecker</b>	All records. Age/sex. ( <i>RED LIST SPECIES</i> )	
<b>Short-Toed Lark</b>	Description.	EBSIP (1, 2, 3)
<b>Woodlark</b>	Notes. ( <i>RED LIST SPECIES</i> ).	EBSIP
<b>Skylark</b>	All records. ( <i>RED LIST SPECIES</i> ).	
<b>Shorelark</b>	All records.	
<b>Sand Martin</b>	Breeding survey data, trends and unusual records. Early and late dates. Counts of 100+.	
<b>Swallow</b>	Breeding survey data, trends and unusual records. Early and late dates. Counts of 100+.	
<b>Red-Rumped Swallow</b>	Description.	EBSIP (3, 12, 15)
<b>House Martin</b>	Breeding survey data, trends and unusual records. Early and late dates. Counts of 50+.	
<b>Richard's Pipit</b>	Description.	EBSIP (3, 19, 22)
<b>Tawny Pipit</b>	Description.	EBSIP (7, 7, 14)
<b>Olive-Backed Pipit</b>	Description.	BBRC (0, 2, 2)
<b>Tree Pipit</b>	All records.	
<b>Meadow Pipit</b>	Breeding survey data, trends and unusual records. Counts of 30+. Records/counts indicative of migration or passage.	
<b>Red-Throated Pipit</b>	Description.	EBSIP (1, 4, 5)
<b>Rock Pipit</b>	All records. Early and late dates.	
<b>Water Pipit</b>	Notes.	EBSIP
<b>Yellow Wagtail</b>	All records. ( <i>AMBER LIST SPECIES</i> ).	
<b>Blue-Headed Wagtail</b>	All records. Age/sex.	
<b>Other Sub-Species: Ashy-Headed, Grey-Headed And Black-Headed Wagtails</b>	Description.	BBRC
<b>Citrine Wagtail</b>	Description.	BBRC (1, 2, 3)
<b>Grey Wagtail</b>	All records. Age/sex.	
<b>Pied Wagtail</b>	Breeding survey data, breeding trends and unusual breeding records. Counts of 20+.	
<b>White Wagtail</b>	All records.	
<b>Waxwing</b>	All records.	
<b>Dipper</b>	Description.	EBSIP (12, 0, 12)
<b>Wren</b>	Breeding survey data, breeding trends and unusual breeding records.	
<b>Northern Mockingbird</b>	Description.	BBRC (0, 1, 1)

<b>Dunnoek</b>	Breeding survey data, trends and unusual records. Records/counts indicative of migration or passage.	
<b>Alpine Accentor</b>	Description.	BBRC (1, 0, 1)
<b>Robin</b>	Breeding survey data, trends and unusual records. Records/counts indicative of migration or passage.	
<b>Nightingale</b>	All records.	
<b>Bluethroat</b>	Description.	EBSIP
<b>Black Redstart</b>	All records. Age/sex.	
<b>Redstart</b>	All records. Age/sex.	
<b>Whinchat</b>	All records. Age/sex.	
<b>Stonechat</b>	All records. Age/sex. Notes on race.	
<b>Siberian Stonechat</b>	Description.	BBRC (0, 3, 3)
<b>Wheatear</b>	All records. Age/sex.	
<b>Greenland Wheatear</b>	All records.	
<b>Black-Eared Wheatear</b>	Description.	BBRC (0, 2, 2)
<b>Desert Wheatear</b>	Description.	BBRC (1, 1, 2)
<b>White's Thrush</b>	Description.	BBRC (1, 0, 1)
<b>Hermit Thrush</b>	Description.	BBRC (0, 1, 1)
<b>Ring Ouzel</b>	All records. Age/sex. ( <i>RED LIST SPECIES</i> )	
<b>Blackbird</b>	Breeding survey data, trends and unusual records. Records/counts indicative of migration or passage.	
<b>Naumann's Thrush</b>	Description.	BBRC (0, 2, 2)
<b>Red-Throated Thrush</b>	Description.	BBRC (0, 1, 1)
<b>Fieldfare</b>	Counts of 30+. Early and late dates including unusual numbers at atypical times of year. Summering records.	
<b>Song Thrush</b>	All records. ( <i>RED LIST SPECIES</i> )	
<b>Redwing</b>	Counts of 30+. Early and late dates including unusual numbers at atypical times of year. Summering records.	
<b>Mistle Thrush</b>	Breeding survey data, breeding trends and unusual breeding records. Counts of 20+.	
<b>Cetti's Warbler</b>	Notes.	EBSIP
<b>Grasshopper Warbler</b>	All records. ( <i>RED LIST SPECIES</i> )	
<b>Savi's Warbler</b>	Description. ( <i>RED LIST SPECIES</i> )	BBRC (2, 1, 3)
<b>Aquatic Warbler</b>	Description. ( <i>RED LIST SPECIES</i> )	BBRC (6, 2, 8)
<b>Sedge Warbler</b>	Breeding survey data, breeding trends and unusual breeding records. Counts indicative of migration or passage. Early and late dates.	
<b>Blyth's Reed Warbler</b>	Description.	BBRC (0, 1, 1)
<b>Paddyfield Warbler</b>	Description.	BBRC (0, 2, 2)
<b>Marsh Warbler</b>	Description. ( <i>RED LIST SPECIES</i> )	EBSIP
<b>Reed Warbler</b>	Breeding survey data, breeding trends and unusual breeding records. Counts indicative of migration or passage. Early and late dates.	
<b>Great Reed Warbler</b>	Description.	BBRC (1, 2, 3)
<b>Booted Warbler</b>	Description.	BBRC (0, 1, 1)
<b>Icterine Warbler</b>	Description.	EBSIP (15, 11, 26)
<b>Melodious Warbler</b>	Description.	EBSIP (6, 3, 9)
<b>Blackcap</b>	Breeding survey data, trends and unusual records. Counts of 10+ indicative of migration or passage. Early and late dates. All wintering records.	
<b>Garden Warbler</b>	Breeding survey data, trends and unusual records. Counts indicative of migration or passage. Early and late dates.	
<b>Barred Warbler</b>	Description.	EBSIP (16, 40, 56)

<b>Lesser Whitethroat</b>	Breeding survey data, trends and unusual records. Counts indicative of migration or passage. Early and late dates.	
<b>Asian Desert Warbler</b>	Description.	BBRC (1, 0, 1)
<b>Whitethroat</b>	Breeding survey data, trends and unusual records. Counts indicative of migration or passage. Early and late dates.	
<b>Dartford Warbler</b>	Notes. ( <i>RED LIST SPECIES</i> )	EBSIP (7, 69, 76)
<b>Subalpine Warbler</b>	Description.	EBSIP (2, 8, 10)
<b>Greenish Warbler</b>	Description.	EBSIP (0, 2, 2)
<b>Arctic Warbler</b>	Description.	BBRC (0, 1, 1)
<b>Pallas's Warbler</b>	Description.	EBSIP (1, 40, 41)
<b>Yellow-Browed Warbler</b>	Description.	EBSIP (4, 102, 106)
<b>Hume's Warbler</b>	Description.	BBRC (0, 1, 1)
<b>Radde's Warbler</b>	Description.	EBSIP (0, 2, 2)
<b>Dusky Warbler</b>	Description.	EBSIP (0, 4, 4)
<b>Wood Warbler</b>	All records.	
<b>Chiffchaf F</b>	Breeding survey data, trends and unusual records. Counts of 10+ indicative of migration or passage. Early and late dates. All wintering records.	
<b>Siberian Chiffchaff</b>	Description.	BBRC
<b>Willow Warbler</b>	Breeding survey data, trends and unusual records. Counts of 10+ indicative of migration or passage. Early and late dates.	
<b>Goldcrest</b>	Breeding survey data, trends and unusual records. Counts of 10+ indicative of migration or passage. Early and late dates.	
<b>Firecrest</b>	All records. Sex.	
<b>Spotted Flycatcher</b>	All records. ( <i>RED LIST SPECIES</i> )	
<b>Red-Breasted Flycatcher</b>	Description.	EBSIP (13, 16, 29)
<b>Collared Flycatcher</b>	Description.	BBRC (1, 0, 1)
<b>Pied Flycatcher</b>	All records. Age/sex.	
<b>Bearded Tit</b>	All records. Age/sex.	
<b>Long-Tailed Tit</b>	Breeding survey data, trends and unusual records. Records/counts indicative of migration or passage.	
<b>Northern Long-Tailed Tit</b>	Description.	BBRC (3, 2, 5)
<b>Marsh Tit</b>	All records. ( <i>RED LIST SPECIES</i> )	
<b>Willow Tit</b>	Description. ( <i>RED LIST SPECIES</i> )	EBSIP
<b>Coal Tit</b>	Breeding survey data, trends and unusual records. Records/counts indicative of migration or passage.	
<b>Continental Coal Tit</b>	Notes.	EBSIP
<b>Blue Tit</b>	Breeding survey data, trends and unusual records. Records/counts indicative of migration or passage.	
<b>Great Tit</b>	Breeding survey data, trends and unusual records. Records/counts indicative of migration or passage.	
<b>Crested Tit</b>	Description.	EBSIP (3, 0, 3)
<b>Nuthatch</b>	All records.	
<b>Treecreeper</b>	Breeding survey data, trends and unusual records. Records/counts indicative of migration or passage.	
<b>Short-Toed Treecreeper</b>	Description.	BBRC (1, 1, 2)
<b>Penduline Tit</b>	Description.	BBRC (0, 13, 13)
<b>Golden Oriole</b>	Description.	EBSIP
<b>Isabelline Shrike</b>	Description, including racial characters.	BBRC (0, 1, 1)
<b>Red-Backed Shrike</b>	Notes. Age/sex. ( <i>RED LIST SPECIES</i> )	EBSIP
<b>Lesser Grey Shrike</b>	Description.	BBRC (0, 2, 2)
<b>Great Grey Shrike</b>	Description.	EBSIP

<b>Southern Grey Shrike</b>	Description.	BBRC (0, 2, 2)
<b>Woodchat Shrike</b>	Description.	BBRC (7, 9, 16)
<b>Jay</b>	Breeding survey data, trends and unusual records. Records/counts indicative of migration or passage.	
<b>Magpie</b>	Breeding survey data, trends and unusual records. Records/counts indicative of migration or passage. Counts of 20+.	
<b>Nutcracker</b>	Description.	BBRC (17, 0, 17)
<b>Chough</b>	Description.	EBSIP (1, 0, 1)
<b>Jackdaw</b>	Breeding survey data, trends and unusual records. Records/counts indicative of migration or passage. Flocks of 50+.	
<b>Rook</b>	Breeding survey data, trends and unusual records. Records/counts indicative of migration or passage. Flocks of 100+.	
<b>Carrion Crow</b>	Breeding survey data, trends and unusual records. Records/counts indicative of migration or passage. Flocks of 50+.	
<b>Hooded Crow</b>	Notes.	EBSIP
<b>Raven</b>	Description.	EBSIP
<b>Starling</b>	All records. ( <i>RED LIST SPECIES</i> )	
<b>Rose-Coloured Starling</b>	Description.	EBSIP (5, 8, 13)
<b>House Sparrow</b>	All records. ( <i>RED LIST SPECIES</i> )	
<b>Tree Sparrow</b>	All records. ( <i>RED LIST SPECIES</i> )	
<b>Chaffinch</b>	Breeding survey data, trends and unusual records. Counts of 30+. Records/counts indicative of migration or passage.	
<b>Brambling</b>	All records. Age/sex.	
<b>Serin</b>	Description.	EBSIP (1, 14 15)
<b>Greenfinch</b>	Breeding survey data, trends and unusual records. Counts of 50+. Records/counts indicative of migration or passage.	
<b>Goldfinch</b>	Breeding survey data, trends and unusual records. Counts of 50+. Records/counts indicative of migration or passage.	
<b>Siskin</b>	All records. Age/sex.	
<b>Linnet</b>	All records ( <i>RED LIST SPECIES</i> )	
<b>Twite</b>	All records. ( <i>RED LIST SPECIES</i> )	
<b>Lesser Redpoll</b>	All records. Age/sex.	
<b>Common Redpoll</b>	Notes for Mealy Redpoll <i>C. f. flammea</i> .	EBSIP
<b>Arctic Redpoll</b>	Description.	EBSIP (1, 6, 7)
<b>Two-Barred Crossbill</b>	Description.	BBRC (2, 0, 2)
<b>Crossbill</b>	All records. Age/sex.	
<b>Parrot Crossbill</b>	Description.	BBRC (2, 0, 2)
<b>Common Rosefinch</b>	Description.	EBSIP (1, 15, 16)
<b>Trumpeter Finch</b>	Description.	BBRC (0, 1, 1)
<b>Bullfinch</b>	All records. Age/sex. ( <i>RED LIST SPECIES</i> )	
<b>Northern Bullfinch</b>	Description.	EBSIP
<b>Hawfinch</b>	All records. Age/sex.	
<b>Lapland Bunting</b>	Notes. Age/sex.	EBSIP
<b>Snow Bunting</b>	All records. Age/sex.	
<b>Rustic Bunting</b>	Description.	EBSIP (1, 0, 1)
<b>Pine Bunting</b>	Description.	BBRC (0, 1, 1)
<b>Yellowhammer</b>	All records. ( <i>RED LIST SPECIES</i> )	
<b>Cirl Bunting</b>	Description. ( <i>RED LIST SPECIES</i> )	EBSIP (22, 0, 22)
<b>Ortolan Bunting</b>	Description.	EBSIP (9, 16, 25)

<b>Rustic Bunting</b>	Description.	EBSIP (1, 0, 1)
<b>Little Bunting</b>	Description.	EBSIP (2, 4, 6)
<b>Yellow-Breasted Bunting</b>	Description.	BBRC (0, 1, 1)
<b>Reed Bunting</b>	All records. ( <i>RED LIST SPECIES</i> )	
<b>[Red-Headed Bunting]</b>	Description	BBRC
<b>Black-Headed Bunting</b>	Description.	BBRC (1, 2, 3)
<b>Corn Bunting</b>	All records. ( <i>RED LIST SPECIES</i> )	
<b>Rose-Breasted Grosbeak</b>	Description.	BBRC (1, 0, 1)
<b>Baltimore Oriole</b>	Description.	BBRC (0, 1, 1)